# Model X – CRD CR Dashpot



## SPECIFICATION

Rate Fixed - see curves below (± 10%)

Ambient

temperature range

Frictional torque

Shaft material

**Body material** 

Weight Bearing 0°C to 60°C


0.3 lbf.ins / 0.034 Nm typical


Mild steel 080A15 (case hardened)


Zinc alloy Mazak 3

0.78 lbs / 355 g

Single overhung anti-friction bush







British and Foreign Patents

### APPLICATIONS

The X – CRD continuous rotation dashpot is value engineered to suit volume applications where unit cost is of paramount importance.

Viscous damping is produced by shear of a film of silicone fluid, using a drum type rotor. Static friction is higher than for other dashpots in the range but is not significant for most applications. The dashpot is designed to react pure torsion and therefore side or axial loads should be avoided.

Dashpots can be supplied with various fixed rates which depend on the viscosity of the fluid filling. Viscosity should be specified when ordering to give the required characteristics. Performance curves for different viscosities are shown. Provision is made for temperature expansion of the fluid and no topping up is required during the life of the dashpot. The shaft can be supplied unhardened if required.

Typical applications include damping moving parts in light machinery, e.g. copying machines, control of coil dereeling, control of descent.

## VISCOSITIES AVAILABLE

1,000; 2,000; 5,000; 12,500; 30,000; 100,000; 250,000; 500,000 cSt.

#### ORDERING CODES

X - CRD - (Filling Viscosity)

Example: X - CRD - 12,500 has a 12,500 cSt filling.