



# Hawk Pd™

## SYNCHRONOUS BELTS



### Drop-In Replacement Belts with a Universal Profile that Fits Many Common Sprockets

Hawk Pd™ is now the premium choice for greater horsepower capacity and performance, all in a universal-tooth profile belt.

- Now available in 5mm, 8mm, 14mm and 20mm sizes,\* offering greater productivity and efficiency
- Sprocket compatibility with the Gates HTD, PowerGrip GT and GT2, Carlisle RPP and RPP Plus and TB Woods Synchronous QD\*\*
- Enhanced Wingprene™ compound affords greater flexibility, less flex fatigue and longer life
- Improved tooth facing for greater abrasion resistance than Hi-Performance Pd Plus
- 100% greater life expectancy than our previous Hi-Performance Positive Drive Plus belt
- Industry-compatible nomenclature for easy part number interchange



**NOW AVAILABLE!**


Hawk Pd is now also available in 5mm and 20mm pitch sizes.

**MAXIMIZER**  
Drive Selection Analysis Program

Download our NEW Maximizer 5.1

\*HPPD Plus has been removed from the Goodyear offering.  
\*\*Trademarks of Gates, Carlisle and TB Woods, respectively.

**14M Life Comparison**  
(28T PowerGrip GT2, 1750 RPM, Rated Load)



**Completed Line-up** – Hawk Pd is now available in all the popular pitches – 5mm, 8mm, 14mm and 20mm – adding to the universal appeal of this premium product.

**Compounding / Reinforcement Integration** – Hawk Pd is an exceptional example of a molded, high-performance rubber composite, giving end-users the latest drive belt technology from Goodyear.

**MRO Replacement** – Hawk Pd can be a superior MRO retrofit to many existing drives, giving the end-user potentially longer life without changing drive hardware.

Need info or technical data? Call Customer Service for more high-flying details at **800-235-4632**.

In Canada call **888-275-4397**.

**Hawk Pd™ Synchronous Belts Product Specifications**  
**Goodyear Power Transmission Products**  
**List Prices Effective February 1, 2006**

Part Number	Lb / Belt	No. of Teeth	List (USD)	Part Number	Lb / Belt	No. of Teeth	List (USD)
350 5M 09 Hawk Pd	0.03	70	11.71	4400 8M 20 Hawk Pd	1.09	550	154.97
15	0.05	70	17.80	30	1.65	550	220.62
25	0.08	70	28.27	50	2.74	550	375.57
375 5M 09 Hawk Pd	0.03	75	12.05	85	4.65	550	646.27
15	0.05	75	18.40	966 14M 40 Hawk Pd	0.91	69	208.56
25	0.09	75	29.37	55	1.25	69	273.79
400 5M 09 Hawk Pd	0.03	80	12.44	85	1.93	69	398.55
15	0.06	80	19.05	115	2.61	69	529.85
25	0.09	80	30.33	170	3.86	69	766.42
425 5M 09 Hawk Pd	0.04	85	12.73	1190 14M 40 Hawk Pd	1.11	85	229.37
15	0.06	85	19.64	55	1.53	85	302.45
25	0.11	85	31.38	85	2.36	85	442.32
450 5M 09 Hawk Pd	0.04	90	13.07	115	3.19	85	590.02
15	0.06	90	20.23	170	4.71	85	853.96
25	0.11	90	32.47	1400 14M 40 Hawk Pd	1.30	100	249.50
475 5M 09 Hawk Pd	0.04	95	13.48	55	1.79	100	330.47
15	0.07	95	20.86	85	2.76	100	485.39
25	0.12	95	33.50	115	3.74	100	648.23
500 5M 09 Hawk Pd	0.04	100	13.87	170	5.51	100	939.97
15	0.07	100	21.49	1610 14M 40 Hawk Pd	1.49	115	270.08
25	0.13	100	34.57	55	2.05	115	360.02
535 5M 09 Hawk Pd	0.05	107	14.50	85	3.16	115	529.61
15	0.07	107	22.73	115	4.28	115	708.21
25	0.13	107	36.62	170	6.32	115	1027.75
565 5M 09 Hawk Pd	0.05	113	14.91	1778 14M 40 Hawk Pd	1.64	127	288.22
15	0.08	113	23.18	55	2.26	127	383.65
25	0.14	113	37.66	85	3.48	127	564.90
600 5M 09 Hawk Pd	0.05	120	15.19	115	4.71	127	756.36
15	0.08	120	23.92	170	6.96	127	1097.76
25	0.15	120	38.76	1890 14M 40 Hawk Pd	1.74	135	302.68
635 5M 09 Hawk Pd	0.05	127	15.87	55	2.40	135	403.56
15	0.09	127	25.14	85	3.69	135	595.28
25	0.16	127	40.88	115	5.00	135	797.49
670 5M 09 Hawk Pd	0.06	134	16.34	170	7.39	135	1191.92
15	0.09	134	25.82	2100 14M 40 Hawk Pd	1.93	150	329.82
25	0.16	134	41.94	55	2.66	150	441.00
710 5M 09 Hawk Pd	0.06	142	16.63	85	4.09	150	652.41
15	0.11	142	26.38	115	5.55	150	875.40
25	0.17	142	42.90	170	8.19	150	1271.12
740 5M 09 Hawk Pd	0.06	148	17.31	2310 14M 40 Hawk Pd	2.12	165	351.25
15	0.11	148	27.63	55	2.92	165	469.66
25	0.18	148	45.06	85	4.49	165	695.96
800 5M 09 Hawk Pd	0.07	160	18.05	115	6.09	165	933.21
15	0.12	160	28.83	170	8.99	165	1356.65
25	0.19	160	47.13	2450 14M 40 Hawk Pd	2.25	175	365.70
850 5M 09 Hawk Pd	0.07	170	18.71	55	3.09	175	488.91
15	0.13	170	30.08	85	4.76	175	724.83
25	0.20	170	49.23	115	6.45	175	972.14
890 5M 09 Hawk Pd	0.07	178	19.47	170	9.52	175	1413.79
15	0.13	178	31.27	2590 14M 40 Hawk Pd	2.37	185	383.43
25	0.21	178	51.30	55	3.27	185	513.67
950 5M 09 Hawk Pd	0.08	190	20.11	85	5.03	185	761.84
15	0.14	190	32.46	115	6.82	185	1022.05
25	0.23	190	53.50	170	10.06	185	1486.89
1000 5M 09 Hawk Pd	0.08	200	20.92	2800 14M 40 Hawk Pd	2.56	200	415.48
15	0.15	200	33.78	55	3.53	200	550.64
25	0.24	200	55.53	85	5.43	200	817.41
1050 5M 09 Hawk Pd	0.09	210	21.59	115	7.36	200	1096.88
15	0.15	210	34.94	170	10.86	200	1596.77
25	0.25	210	57.62				

**Hawk Pd™ Synchronous Belts Product Specifications**  
**Goodyear Power Transmission Products**  
**List Prices Effective February 1, 2006**

1125 5M 09 Hawk Pd	0.09	225	22.63	3150 14M 40 Hawk Pd	2.88	225	450.19
15	0.16	225	36.77	55	3.96	225	605.78
25	0.26	225	60.85	85	6.10	225	901.93
1195 5M 09 Hawk Pd	0.11	239	23.73	115	8.26	225	1211.58
15	0.17	239	38.59	170	12.20	225	1766.58
25	0.28	239	63.92	3360 14M 40 Hawk Pd	3.07	240	471.37
1270 5M 09 Hawk Pd	0.11	254	24.81	55	4.22	240	636.23
15	0.18	254	40.49	85	6.50	240	946.98
25	0.31	254	67.13	115	8.81	240	1273.08
1420 5M 09 Hawk Pd	0.13	284	26.16	170	13.00	240	1856.77
15	0.20	284	42.87	3500 14M 40 Hawk Pd	3.19	250	486.09
25	0.34	284	71.27	55	4.40	250	656.13
1595 5M 09 Hawk Pd	0.14	319	28.98	85	6.77	250	980.02
15	0.23	319	47.83	115	9.17	250	1314.88
25	0.38	319	79.68	170	13.53	250	1916.51
1690 5M 09 Hawk Pd	0.15	338	30.40	3850 14M 40 Hawk Pd	3.51	275	535.10
15	0.24	338	50.19	55	4.83	275	729.00
25	0.40	338	83.88	85	7.44	275	1081.78
1790 5M 09 Hawk Pd	0.16	358	31.78	115	10.08	275	1457.15
15	0.25	358	52.69	170	14.87	275	2119.58
25	0.42	358	87.63	4326 14M 40 Hawk Pd	3.94	309	594.42
1895 5M 09 Hawk Pd	0.17	379	33.19	55	5.42	309	803.64
15	0.27	379	55.21	85	8.34	309	1202.40
25	0.45	379	92.27	115	11.31	309	1619.52
2000 5M 09 Hawk Pd	0.17	400	34.62	170	16.69	309	2365.38
15	0.28	400	57.31	4578 14M 40 Hawk Pd	4.17	327	628.12
25	0.47	400	96.50	55	5.73	327	852.19
480 8M 20 Hawk Pd	0.13	60	27.80	85	8.83	327	1268.91
30	0.20	60	39.40	115	11.96	327	1713.62
50	0.33	60	62.82	170	17.65	327	2456.63
85	0.57	60	104.40	4956 14M 40 Hawk Pd	4.51	354	679.97
560 8M 20 Hawk Pd	0.15	70	30.22	55	6.20	354	922.47
30	0.23	70	41.77	85	9.55	354	1358.48
50	0.39	70	68.93	115	12.94	354	1855.01
85	0.66	70	114.68	170	19.09	354	2659.07
600 8M 20 Hawk Pd	0.16	75	31.73	5320 14M 40 Hawk Pd	4.83	380	730.10
30	0.25	75	45.55	55	6.65	380	990.52
50	0.41	75	72.89	85	10.24	380	1474.87
85	0.70	75	121.59	115	13.88	380	1991.80
640 8M 20 Hawk Pd	0.17	80	32.61	170	20.48	380	2855.41
30	0.26	80	46.64	5740 14M 40 Hawk Pd	5.21	410	787.64
50	0.44	80	74.83	55	7.17	410	1068.68
85	0.75	80	124.97	85	11.04	410	1591.09
720 8M 20 Hawk Pd	0.20	90	35.02	115	14.97	410	2148.70
30	0.30	90	50.14	170	22.09	410	3080.35
50	0.49	90	80.98	6160 14M 40 Hawk Pd	5.59	440	845.00
85	0.84	90	135.25	55	7.69	440	1146.55
800 8M 20 Hawk Pd	0.22	100	38.31	85	11.85	440	1707.28
30	0.33	100	55.16	115	16.05	440	2305.61
50	0.54	100	89.03	170	23.69	440	3305.12
85	0.93	100	149.06	6860 14M 40 Hawk Pd	6.22	490	941.29
880 8M 20 Hawk Pd	0.24	110	40.72	55	8.56	490	1277.00
30	0.36	110	58.67	85	13.18	490	1901.61
50	0.60	110	95.19	115	17.86	490	2568.04
85	1.01	110	159.34	170	26.37	490	3681.33
960 8M 20 Hawk Pd	0.26	120	43.12	2000 20M 115 Hawk Pd	7.48	100	1097.11
30	0.39	120	62.16	170	11.04	100	1597.42
50	0.65	120	101.33	230	14.96	100	2161.18
85	1.10	120	169.60	290	18.86	100	2717.50
				340	22.11	100	3194.82

**Hawk Pd™ Synchronous Belts Product Specifications**

Goodyear Power Transmission Products

List Prices Effective February 1, 2006

1040 8M 20 Hawk Pd	0.28	130	45.55	2500 20M 115 Hawk Pd	9.30	125	1289.72
30	0.42	130	65.88	170	13.72	125	1875.56
50	0.70	130	107.25	230	18.59	125	2537.63
85	1.19	130	179.91	290	23.43	125	3199.40
1120 8M 20 Hawk Pd	0.30	140	47.94	340	27.47	125	3751.15
30	0.46	140	69.37	3400 20M 115 Hawk Pd	12.56	170	1674.66
50	0.76	140	113.36	170	18.54	170	2442.42
85	1.28	140	190.17	230	25.12	170	3304.47
1200 8M 20 Hawk Pd	0.32	150	50.57	290	31.66	170	4166.53
30	0.49	150	73.22	340	37.12	170	4884.79
50	0.81	150	119.47	3800 20M 115 Hawk Pd	14.01	190	1832.92
85	1.37	150	200.47	170	20.68	190	2755.60
1280 8M 20 Hawk Pd	0.34	160	52.96	230	28.02	190	3728.16
30	0.52	160	76.60	290	35.32	190	4700.75
50	0.86	160	125.61	340	41.41	190	5511.14
85	1.46	160	210.73	4200 20M 115 Hawk Pd	15.46	210	2105.37
1440 8M 20 Hawk Pd	0.38	180	57.77	170	22.82	210	3074.89
30	0.58	180	83.85	230	30.93	210	4160.18
50	0.97	180	137.66	290	38.98	210	5245.47
85	1.64	180	231.32	340	45.70	210	6149.79
1600 8M 20 Hawk Pd	0.43	200	62.82	4600 20M 115 Hawk Pd	16.91	230	2269.07
30	0.65	200	91.04	170	24.96	230	3279.70
50	1.07	200	149.92	230	33.83	230	4439.20
85	1.82	200	252.12	290	42.64	230	5597.18
1760 8M 20 Hawk Pd	0.47	220	67.61	340	49.99	230	6562.32
30	0.71	220	98.26	5000 20M 115 Hawk Pd	18.37	250	2433.25
50	1.18	220	161.94	170	27.11	250	3474.20
85	2.00	220	272.47	230	36.73	250	4718.25
1800 8M 20 Hawk Pd	0.48	225	69.19	290	46.29	250	5949.12
30	0.73	225	100.46	340	54.27	250	6974.86
50	1.20	225	166.09	5200 20M 115 Hawk Pd	19.09	260	2525.55
85	2.05	225	279.47	170	28.18	260	3620.38
2000 8M 20 Hawk Pd	0.53	250	75.73	230	38.18	260	4898.18
30	0.81	250	110.10	290	48.12	260	6175.94
50	1.34	250	182.32	340	56.42	260	7240.64
85	2.27	250	306.82	5400 20M 115 Hawk Pd	19.82	270	2628.20
2400 8M 20 Hawk Pd	0.63	300	88.64	170	29.25	270	3767.80
30	0.97	300	129.35	230	39.63	270	5097.54
50	1.60	300	214.70	290	49.95	270	6427.43
85	2.72	300	361.78	340	58.56	270	7535.54
2600 8M 20 Hawk Pd	0.69	325	95.85	5800 20M 115 Hawk Pd	21.27	290	2822.53
30	1.04	325	139.20	170	31.39	290	4046.39
50	1.73	325	233.48	230	42.54	290	5474.62
85	2.94	325	390.41	290	53.61	290	6902.64
2800 8M 20 Hawk Pd	0.74	350	101.76	340	62.85	290	8092.77
30	1.12	350	148.41	6200 20M 115 Hawk Pd	22.72	310	3016.69
50	1.86	350	247.08	170	33.53	310	4324.54
85	3.17	350	416.69	230	45.44	310	5850.82
3048 8M 20 Hawk Pd	0.75	381	109.87	290	57.27	310	7377.14
30	1.15	381	160.43	340	67.14	310	8649.10
50	1.90	381	265.47	6600 20M 115 Hawk Pd	24.17	330	3211.47
85	3.23	381	451.27	170	35.67	330	4603.58
3280 8M 20 Hawk Pd	0.81	410	117.31	230	48.34	330	6556.14
30	1.23	410	166.57	290	60.93	330	7853.12
50	2.04	410	282.76	340	71.43	330	9207.17
85	3.47	410	485.84				
3600 8M 20 Hawk Pd	0.89	450	129.79				
30	1.35	450	184.52				
50	2.24	450	313.63				
85	3.81	450	539.25				

Need info or technical data?  
 Call Customer Service  
 for more high-flying details at  
 800-235-4632.  
 In Canada call 888-275-4397.