## **IN LINE PTFE FLOW METER**

### Made entirely of PTFE, PFA, and PCTFE, the *Model F* flow meter is excellent for high-purity applications or use with corrosive liquids.

Units are available with a standard valve to monitor and control flow or without a valve to just monitor flow.

Flow meters are individually tested on a Mass Spectrometer Leak Detector and certified to a leak integrity rating of 1 X 10<sup>-7</sup> sccs Helium or better.

# design features

- ✓ Chemically inert wetted components.
- ✓ Removable protective shield.
- ✓ Individually leak tested.

#### SPECIFICATIONS

SCALES	0 to 10 markings.			
ACCURACY	±5% of full scale.			
MAXIMUM TEMPERATURE 250 °F (121 °C).				
MAXIMUM PRESSURE	100 psig (6.7 bars).			
LEAK INTEGRITY Individually, leak tested and certified to a				
	rating of 1 x 10 <sup>-7</sup> sccs of Helium.			

**MATERIALS OF CONSTRUCTION			
TUBE SHIELDS	Polycarbonate.		
FLOW TUBES	PFA.		
FLOATS	PTFE.		
WETTED PARTS	PTFE end fittings.	PCTFE guide rods.	

\*\*The selection of materials of construction, is the responsibility of the customer. The company accepts no liability.



DIMENSIONS FOR F STYLE METERS			
LOW RANGE MODELS	HIGH RANGE MODELS		
5-11/16" Length x 1-1/4" O.D.	10-1/2" Length x 2" 0.D.		

### **ORDERING INFORMATION**

F STYLE LOW RANGE METERS					
MODEL NUMBER			MAXIMUM FLOW		
BUILT IN VALVE	NO VALVE	CONNECTION	[mL/min] WATER	[gph] WATER	
F6C-F01-01-TF	F3C-F01-01-TF	1/4" FNPT	125	1.98	
F6C-F02-01-TF	F3C-F02-01-TF	1/4" FNPT	250	3.96	
F6C-F03-01-TF	F3C-F03-01-TF	1/4" FNPT	400	6.34	
F6C-F04-01-TF	F3C-F04-01-TF	1/4" FNPT	500	7.92	
F6C-F05-01-TF	F3C-F05-01-TF	1/4" FNPT	1000	15.85	
F6D-F06-01-TF	F3D-F06-01-TF	3/8" FNPT	2000	31.69	
F6D-F07-01-TF	F3D-F07-01-TF	3/8" FNPT	2500	39.62	
F6D-F08-01-TF	F3D-F08-01-TF	3/8" FNPT	3000	47.54	
F6D-F09-01-TF	F3D-F09-01-TF	3/8" FNPT	5000	79.23	

#### **F STYLE HIGH RANGE METERS**

MODEL NUMBER		<b>N</b>	MAXIMUM FLOW	
BUILT IN VALVE	NO VALVE	CONNECTION	[L/min] WATER	[gpm] WATER
F6E-F10-01-TF	F3E-F10-01-TF	1/2" FNPT	13	3.43
F6E-F11-01-TF	F3E-F11-01-TF	1/2" FNPT	20	5.28
F6F-F12-01-TF	F3F-F12-01-TF	3/4" FNPT	30	7.93
F6F-F13-01-TF	F3F-F13-01-TF	3/4" FNPT	40	10.57
F6F-F14-01-TF	F3F-F14-01-TF	3/4" FNPT	45	11.89