



Penn Stainless Products

Welded Pipe Inventory

800-222-6144 Fax: 215-536-3255 www.pennstainless.com

Penn Stainless Products supplies welded pipe, per ASTM A 312, ASTM A 358 or as rolled and welded. We supply common grades of stainless such as 304/304L and 316/316L in standard pipe sizes and schedules including Sch 5, Sch 10, Sch 40s and Sch 80s. We also supply more challenging stainless welded pipe requirements including 304H, 316H, 309/S, 310/S, 317/L, 321/H, 347/H, 410, 410S, Duplex 2205, Duplex 2507 and many other grades of stainless, duplex or nickel alloys. We can even supply material with wall thicknesses up to 3" thick! Diameters sizes range from 1/8" up to 96". We specialize in quick delivery of non-standard welded pipe. We recently supplied a steel mill with 3 pieces of 11-1/2" OD x .625" Wall x 13' Type 316/316L and delivered the product in 5 days to meet a shut-down requirement. All welded pipe products can be cut to size. Specialty testing, including X-ray, Hydro Testing and more can be supplied upon request.

NPS / OD	ID	Wall	Wt /Ft	Grade	NPS / OD	ID	Wall	Wt /Ft	Grade
1/8" Sch 5 .405 OD	.335	.035	.1425	304/L	3/4" Sch 80 1.050 OD	.742	.154	1.518	304/L 316/L
1/8" Sch 10 .405 OD	.307	.049	.1919	304/L 316/L	1" Sch 5 1.315 OD	1.185	.065	.8938	304/L 316/L
1/8" Sch 40 .405 OD	.269	.068	.2521	304/L 316/L	1" Sch 10 1.315 OD	1.097	.109	1.446	304/L 310 316/L 317/L 321
1/8" Sch 80 .405 OD	.215	.095	.3240	304/L 316/L	1" Sch 40 1.315 OD	1.049	.133	1.729	304/L 309 310 316/L 317/L 321 254SMO
1/4" Sch 5 .540 OD	.442	.049	.2646	304/L	1" Sch 80 1.315 OD	.957	.179	2.237	304/L 316/L
1/4" Sch 10 .540 OD	.410	.065	.3396	304/L 316/L	1-1/4" Sch 5 1.660 OD	1.530	.065	1.140	304/L 316/L
1/4" Sch 40 .540 OD	.364	.083	.4375	304/L 316/L	1-1/4" Sch 10 1.660 OD	1.442	.109	1.860	304/L 310 316/L
1/4" Sch 80 .540 OD	.302	.119	.5511	304/L 316/L	1-1/4" Sch 40 1.660 OD	1.380	.140	2.341	304/L 310 316/L 317/L 321
3/8" Sch 5 .675 OD	.577	.049	.3374	304/L	1-1/4" Sch 80 1.660 OD	1.278	.191	3.086	304/L 316/L
3/8" Sch 10 .675 OD	.545	.065	.4362	304/L 316/L	1-1/2" Sch 5 1.900 OD	1.770	.065	1.312	304/L 316/L
3/8" Sch 40 .675 OD	.493	.091	.6786	304/L 316/L	1-1/2" Sch 10 1.900 OD	1.682	.109	2.147	304/L 310 316/L 317/L 321
3/8" Sch 80 .675 OD	.423	.126	.7609	304/L 316/L	1-1/2" Sch 40 1.900 OD	1.610	.145	2.799	304/L 309 310 316/L 317/L 321 254SMO
1/2" Sch 5 .840 OD	.710	.065	.5541	304/L 316/L	1-1/2" Sch 80 1.900 OD	1.500	.200		
1/2" Sch 10 .840 OD	.674	.083	.6911	304/L 316/L					
1/2" Sch 40 .840 OD	.622	.109	.8765	304/L 309 310 316/L 317/L 321					
1/2" Sch 80 .840 OD	.546	.147	1.121	304/L 316/L					
3/4" Sch 5 1.050 OD	.920	.065	.7043	304/L 316/L					
3/4" Sch 10 1.050 OD	.884	.083	.8829	304/L 316/L 317/L					
3/4" Sch 40 1.050 OD	.824	.113	1.165	304/L 309 310 316/L 317/L 321					

- Pipe can be cut to size, threaded or polished per customer specification.
- Pipe is stocked in 17' to 24' R/L sections. Longer lengths can be made to order.
- Penn Stainless stocks flanges, butt weld fittings, forged fittings and valves.



Penn Stainless Products
190 Kelly Road
Quakertown, PA 18951

Toll Free: 800-222-6144
Phone: 215-536-3053 Fax: 215-536-3255
Email: sales@pennstainless.com





Penn Stainless Products

Welded Pipe Inventory

800-222-6144 Fax: 215-536-3255 www.pennstainless.com

Penn Stainless Products supplies welded pipe, per ASTM A 312, ASTM A 358 or as rolled and welded. We supply common grades of stainless such as 304/304L and 316/316L in standard pipe sizes and schedules including Sch 5, Sch 10, Sch 40s and Sch 80s. We also supply more challenging stainless welded pipe requirements including 304H, 316H, 309/S, 310/S, 317/L, 321/H, 347/H, 410, 410S, Duplex 2205, Duplex 2507 and many other grades of stainless, duplex or nickel alloys. We can even supply material with wall thicknesses up to 3" thick! Diameters sizes range from 1/8" up to 96". We specialize in quick delivery of non-standard welded pipe. We recently supplied a steel mill with 3 pieces of 11-1/2" OD x .625" Wall x 13' Type 316/316L and delivered the product in 5 days to meet a shut-down requirement. All welded pipe products can be cut to size. Specialty testing, including X-ray, Hydro Testing and more can be supplied upon request.

NPS / OD	ID	Wall	Wt /Ft	Grade	NPS / OD	ID	Wall	Wt /Ft	Grade
2" Sch 5	2.245	.065	1.652	304/L	3" Sch 40 (Contd)	3.068	.216	7.803	316/L
2.375 OD				316/L	3.500 OD				317/L
2" Sch 10									321
2.375 OD	2.157	.109	2.717	304/L	3" Sch 80	2.900	.300	10.560	304/L
				310	3.500 OD				310
				316/L					316/L
				317/L					317/L
				321					321
				254SMO	3-1/2" Sch 5	3.834	.083	3.576	304/L
2" Sch 40	2.067	.154	3.762	304/L	4.000 OD				316/L
2.375 OD				309	3-1/2" Sch 10	3.760	.120	5.123	304/L
				310	4.000 OD				310
				316/L					316/L
				317/L					317/L
				321					321
				254SMO	3-1/2" Sch 40	3.454	.273	11.192	304/L
2" Sch 80	1.939	.218	5.172	304/L	4.000 OD				309
2.375 OD				310					310
				316/L					316/L
				317/L					317/L
2-1/2" Sch 5	2.709	.083	2.549	304/L	3-1/2" Sch 80	3.326	.337	13.579	304/L
2.875 OD				316/L	4.000 OD				310
2-1/2" Sch 10	2.635	.120	3.637	304/L					316/L
2.875 OD				310					
				316/L	4" Sch 5	4.334	.083	4.033	304/L
				317/L	4.500 OD				316/L
				321	4" Sch 10	4.260	.120	5.782	304/L
2-1/2" Sch 40	2.469	.203	5.967	304/L	4.500 OD				309
2.875 OD				310					310
				316/L					316/L
				321					317/L
2-1/2" Sch 80	2.323	.276	7.891	304/L					321
2.875 OD				309	4" Sch 20				254SMO
				310	4.500 OD				304/L
				316/L					316/L
				317/L	4" Sch 40	3.954	.273	12.694	304/L
3" Sch 5	3.334	.083	3.120	304/L	4.500 OD				309
3.500 OD				316/L					310
				321					316/L
3" Sch 10	3.260	.120	4.462	304/L					317/L
3.500 OD				309					321
				310					347
				316/L					410
				317/L					254SMO
				321	4" Sch 80	3.826	.337	15.432	304/L
				254SMO	4.500 OD				309
3" Sch 40	3.068	.216	7.803	304/L					316/L
3.500 OD				309					317/L
				310					

- Pipe can be cut to size, threaded or polished per customer specification.
- Pipe is stocked in 17' to 24' R/L sections. Longer lengths can be made to order.
- Penn Stainless stocks flanges, butt weld fittings, forged fittings and valves.



Penn Stainless Products
190 Kelly Road
Quakertown, PA 18951

Toll Free: 800-222-6144
Phone: 215-536-3053 Fax: 215-536-3255
Email: sales@pennstainless.com





Penn Stainless Products

Welded Pipe Inventory

800-222-6144 Fax: 215-536-3255 www.pennstainless.com

Penn Stainless Products supplies welded pipe, per ASTM A 312, ASTM A 358 or as rolled and welded. We supply common grades of stainless such as 304/304L and 316/316L in standard pipe sizes and schedules including Sch 5, Sch 10, Sch 40s and Sch 80s. We also supply more challenging stainless welded pipe requirements including 304H, 316H, 309/S, 310/S, 317/L, 321/H, 347/H, 410, 410S, Duplex 2205, Duplex 2507 and many other grades of stainless, duplex or nickel alloys. We can even supply material with wall thicknesses up to 3" thick! Diameters sizes range from 1/8" up to 96". We specialize in quick delivery of non-standard welded pipe. We recently supplied a steel mill with 3 pieces of 11-1/2" OD x .625" Wall x 13' Type 316/316L and delivered the product in 5 days to meet a shut-down requirement. All welded pipe products can be cut to size. Specialty testing, including X-ray, Hydro Testing and more can be supplied upon request.

NPS / OD	ID	Wall	Wt /Ft	Grade	NPS / OD	ID	Wall	Wt /Ft	Grade
4" Sch 80 (Contd) 4.500 OD	3.826	.337	15.432	321 347 410	6" Sch 80 (Contd) 6.625 OD	5.761	.432	29.429	317/L 321 347
5" Sch 5 5.563 OD	5.345	.109	6.539	304/L 316/L 321	6" Sch 120 6.625 OD	5.501	.562	37.482	304/L 316/L
5" Sch 10 5.563 OD	5.295	.134	8.002	304/L 310 316/L 317/L 321	8" Sch 5 8.625 OD	8.407	.109	10.211	304/L 316/L 321 347
5" Sch 40 5.563 OD	5.047	.258	15.056	304/L 309 310 316/L 317/L 321 347	6" Sch 10 8.625 OD	8.329	.148	13.801	304/L 309 310 316/L 317/L 321 347 410
5" Sch 80 5.563 OD	4.813	.375	21.401	304/L 309 310 316/L 317/L 347	6" Sch 20 8.625 OD	8.125	.250	23.031	304/L 310 316/L 317/L 321
6" Sch 5 6.625 OD	6.407	.109	7.813	304/L 316/L 317/L 321	6" Sch 40 8.625 OD	7.981	.322	29.409	304/L 309 310 316/L 317/L 321 347 410
6" Sch 10 6.625 OD	6.357	.134	9.568	304/L 309 310 316/L 317/L 321 347	6" Sch 60 8.625 OD	7.813	.406	36.706	304/L 316/L
6" Sch 20 6.625 OD				316/L 317/L	6" Sch 80 8.625 OD	7.625	.500	44.688	304/L 309 310 316/L 317/L 321 347
6" Sch 40 6.625 OD	6.065	.280	19.543	304/L 309 310 316/L 317/L 321 347 410	6" Sch 100 8.625 OD	7.439	.593	52.393	304/L
6" Sch 80 6.625 OD	5.761	.432	29.429	304/L 309 310 316/L	6" Sch 120 8.625 OD	7.189	.718	62.450	304/L 316/L
					6" Sch 160 8.625 OD	6.813	.906	76.928	304/L 316/L 321
					10" Sch 5 10.750 OD	10.482	.134	15.648	304/L 316/L 321

- Pipe can be cut to size, threaded or polished per customer specification.
- Pipe is stocked in 17' to 24' R/L sections. Longer lengths can be made to order.
- Penn Stainless stocks flanges, butt weld fittings, forged fittings and valves.



Penn Stainless Products
190 Kelly Road
Quakertown, PA 18951

Toll Free: 800-222-6144
Phone: 215-536-3053 Fax: 215-536-3255
Email: sales@pennstainless.com





Penn Stainless Products

Welded Pipe Inventory

800-222-6144 Fax: 215-536-3255 www.pennstainless.com

Penn Stainless Products supplies welded pipe, per ASTM A 312, ASTM A 358 or as rolled and welded. We supply common grades of stainless such as 304/304L and 316/316L in standard pipe sizes and schedules including Sch 5, Sch 10, Sch 40s and Sch 80s. We also supply more challenging stainless welded pipe requirements including 304H, 316H, 309/S, 310/S, 317/L, 321/H, 347/H, 410, 410S, Duplex 2205, Duplex 2507 and many other grades of stainless, duplex or nickel alloys. We can even supply material with wall thicknesses up to 3" thick! Diameters sizes range from 1/8" up to 96". We specialize in quick delivery of non-standard welded pipe. We recently supplied a steel mill with 3 pieces of 11-1/2" OD x .625" Wall x 13' Type 316/316L and delivered the product in 5 days to meet a shut-down requirement. All welded pipe products can be cut to size. Specialty testing, including X-ray, Hydro Testing and more can be supplied upon request.

NPS / OD	ID	Wall	Wt /Ft	Grade	NPS / OD	ID	Wall	Wt /Ft	Grade
10" Sch 10 10.750 OD	10.420	.165	19.212	304/L 309 310 316/L 317/L 321 347 Duplex 2205	12" Sch 5 12.750 OD	12.420	.165	22.842	304/L 316/L 317/L 321
10" Sch 20 10.750 OD	10.250	.250	28.875	304/L 310 316/L 317/L 321	12" Sch 10 12.750 OD	12.390	.180	24.889	304/L 309 310 316/L 317/L 347
10" Sch 30 10.750 OD	10.136	.307	35.266	304/L 316/L	12" Sch 20 12.750 OD	12.250	.250	34.375	304/L 310 316/L 317/L 321
10" Sch 40 10.750 OD	10.020	.365	41.696	304/L 309 310 316/L 317/L 321 347 410 Duplex 2205	12" Sch 30 12.750 OD	12.090	.330	45.085	304/L 316/L
10" Sch 80s 10.750 OD	9.750	.500	56.375	304/L 309 310 316/L 317/L 321 347 Duplex 2205	12" Sch 40s 12.750 OD	12.000	.375	51.047	304/L 309 310 316/L 317/L 321 347 410
10" Sch 80 10.750 OD	9.564	.593	66.254	304/L 310 316/L 317/L 321	12" Sch 40 12.750 OD	11.938	.406	55.128	304/L 316/L 321
10" Sch 100 10.750 OD	9.314	.718	79.233	304/L 316/L	12" Sch 60 12.750 OD	11.626	.562	75.346	304/L 316/L
10" Sch 120 10.750 OD	9.064	.843	91.868	304/L 316/L 321	12" Sch 80s 12.750 OD	11.750	.500	67.375	304/L 309 310 316/L 317/L 321 347
10" Sch 140 10.750 OD	8.750	1.000	107.250	304/L 316/L	12" Sch 80 12.750 OD	11.376	.687	91.160	304/L 316/L 317/L 321
10" Sch 160 10.750 OD	8.500	1.125	119.109	304/L 316/L 321	12" Sch 100 12.750 OD	11.064	.843	110.414	304/L 316/L
					12" Sch 120 12.750 OD	10.750	1.000	129.250	304/L 316/L 321

- Pipe can be cut to size, threaded or polished per customer specification.
- Pipe is stocked in 17' to 24' R/L sections. Longer lengths can be made to order.
- Penn Stainless stocks flanges, butt weld fittings, forged fittings and valves.



Penn Stainless Products
190 Kelly Road
Quakertown, PA 18951

Toll Free: 800-222-6144
Phone: 215-536-3053 Fax: 215-536-3255
Email: sales@pennstainless.com





Penn Stainless Products

Welded Pipe Inventory

800-222-6144 Fax: 215-536-3255 www.pennstainless.com

Penn Stainless Products supplies welded pipe, per ASTM A 312, ASTM A 358 or as rolled and welded. We supply common grades of stainless such as 304/304L and 316/316L in standard pipe sizes and schedules including Sch 5, Sch 10, Sch 40s and Sch 80s. We also supply more challenging stainless welded pipe requirements including 304H, 316H, 309/S, 310/S, 317/L, 321/H, 347/H, 410, 410S, Duplex 2205, Duplex 2507 and many other grades of stainless, duplex or nickel alloys. We can even supply material with wall thicknesses up to 3" thick! Diameters sizes range from 1/8" up to 96". We specialize in quick delivery of non-standard welded pipe. We recently supplied a steel mill with 3 pieces of 11-1/2" OD x .625" Wall x 13' Type 316/316L and delivered the product in 5 days to meet a shut-down requirement. All welded pipe products can be cut to size. Specialty testing, including X-ray, Hydro Testing and more can be supplied upon request.

NPS / OD	ID	Wall	Wt /Ft	Grade	NPS / OD	ID	Wall	Wt /Ft	Grade
12" Sch 160 12.750 OD	10.312	1.312	165.073	304/L 316/L 321	16" Sch 10s 16.000 OD	15.624	.188	32.699	304/L 309 310 316/L 317/L 321
14" Sch 5 14.000 OD	13.688	.156	23.756	304/L 316/L	16" Sch 10 16.000 OD	15.500	.250	43.312	304/L 310 316/L 317/L 321
14" Sch 10s 14.000 OD	13.624	.188	28.563	304/L 310 316/L 317/L 321	16" Sch 20 16.000 OD	15.376	.312	53.841	304/L 316/L
14" Sch 10 14.000 OD	13.500	.250	37.812	304/L 310 316/L 317/L 321	16" Sch 40s 16.000 OD	15.250	.375	64.453	304/L 309 310 316/L 317/L
14" Sch 20 14.000 OD	13.376	.312	46.977	304/L 316/L	16" Sch 60 16.000 OD	14.688	.656	110.722	304/L 316/L
14" Sch 40s 14.000 OD	13.250	.375	56.203	304/L 309 310 316/L 317/L 321 347 Duplex 2205	16" Sch 80s 16.000 OD	15.000	.500	85.250	304/L 309 310 316/L 317/L
14" Sch 40 14.000 OD	13.126	.437	65.197	304/L 316/L	16" Sch 80 16.000 OD	14.314	.843	140.551	304/L 316/L 321
14" Sch 60 14.000 OD	12.814	.593	87.454	304/L 316/L	16" Sch 100 16.000 OD	13.938	1.031	169.763	304/L 316/L
14" Sch 80s 14.000 OD	13.000	.500	74.250	304/L 309 310 316/L 317/L 321 347	16" Sch 120 16.000 OD	13.564	1.218	198.049	304/L 316/L
14" Sch 80 14.000 OD	12.500	.750	109.312	304/L 316/L 321	18" Sch 5 18.000 OD	17.670	.165	32.370	304/L 316/L
14" Sch 120 14.000 OD	11.814	1.093	155.181	304/L 316/L	18" Sch 10s 18.000 OD	17.624	.188	36.835	304/L 316/L 317/L 321
14" Sch 140 14.000 OD	11.500	1.250	175.312	304/L	18" Sch 10 18.000 OD	17.500	.250	48.812	304/L 310 316/L 317/L 321
14" Sch 160 14.000 OD	11.188	1.406	194.779	304/L 316/L	18" Sch 20 18.000 OD	17.376	.312	60.705	304/L 316/L
16" Sch 5 16.000 OD	15.670	.165	28.740	304/L 316/L					

- Pipe can be cut to size, threaded or polished per customer specification.
- Pipe is stocked in 17' to 24' R/L sections. Longer lengths can be made to order.
- Penn Stainless stocks flanges, butt weld fittings, forged fittings and valves.



Penn Stainless Products
190 Kelly Road
Quakertown, PA 18951

Toll Free: 800-222-6144
Phone: 215-536-3053 Fax: 215-536-3255
Email: sales@pennstainless.com





Penn Stainless Products

Welded Pipe Inventory

800-222-6144 Fax: 215-536-3255 www.pennstainless.com

Penn Stainless Products supplies welded pipe, per ASTM A 312, ASTM A 358 or as rolled and welded. We supply common grades of stainless such as 304/304L and 316/316L in standard pipe sizes and schedules including Sch 5, Sch 10, Sch 40s and Sch 80s. We also supply more challenging stainless welded pipe requirements including 304H, 316H, 309/S, 310/S, 317/L, 321/H, 347/H, 410, 410S, Duplex 2205, Duplex 2507 and many other grades of stainless, duplex or nickel alloys. We can even supply material with wall thicknesses up to 3" thick! Diameters sizes range from 1/8" up to 96". We specialize in quick delivery of non-standard welded pipe. We recently supplied a steel mill with 3 pieces of 11-1/2" OD x .625" Wall x 13' Type 316/316L and delivered the product in 5 days to meet a shut-down requirement. All welded pipe products can be cut to size. Specialty testing, including X-ray, Hydro Testing and more can be supplied upon request.

NPS / OD	ID	Wall	Wt /Ft	Grade	NPS / OD	ID	Wall	Wt /Ft	Grade
18" Sch 40s 18.000 OD	17.250	.375	72.703	304/L 309 310 316/L 317/L 321 347	18" Sch 60 18.000 OD	16.500	.750	142.325	304/L 316/L
					18" Sch 80s 18.000 OD	17.000	.500	96.250	304/L 310 316/L 317/L 321
18" Sch 40 18.000 OD	16.876	.562	107.802	304/L 316/L	18" Sch 80 18.000 OD	16.126	.937	175.868	304/L 316/L

- Pipe can be cut to size, threaded or polished per customer specification.
- Pipe is stocked in 17' to 24' R/L sections. Longer lengths can be made to order.
- Penn Stainless stocks flanges, butt weld fittings, forged fittings and valves.



Penn Stainless Products
190 Kelly Road
Quakertown, PA 18951

Toll Free: 800-222-6144

Phone: 215-536-3053 Fax: 215-536-3255

Email: sales@pennstainless.com

